# Why Use Animoto?

Carol Edwards MEd

wallpopyreght

# John Dewey

"Give students something to do, not something to learn; and the doing is of such a nature as to demand thinking; learning naturally results." John Dewey

#### Andragogy and Animoto

The adult learner is encouraged to critical thinking and active learning

(Blackley, 2015:Palloff & Pratt, 2003; Smith, 2005).

Knowles (1984) five characteristics that define the adult learning theory:

- Self-Concept
- Experience
- Readiness to learn
- Orientation to learning
- Motivation to learn

#### What is Animoto?

Easy to use Created by A Web Video Creates Uses free to quality TV/film based innovative educators multimedia application software slideshows producers

#### Animoto can be...

- Used personally and professionally
  - In an out of the classroom
- Used to send an online video to family members and friends
- Updated and enhanced
- Best used with jpeg
- Used freely and easily

#### Animoto can be used ...

- As an introduction and Farewell
- In Announcements
- To begin or end a Unit
- To create engagement
- For grade updates
- 🔲 As a team tool
- To showcase the work of students
- To add innovation and vibrancy in the classroom

### Why use Animoto?

Animoto is used by businesses, educators, photographers, students, and digital natives

Digital natives expect to use the Web 2.0 and Web 3.0 tools in the classroom setting (Chong, Brewer, Jannasch-Pennel & DiGangi, 2010; Fahser & Steinkuehler, 2012).

#### Getting started with Animoto



The Animoto Developer Platform Turn your HTTP requests into pure amazing.

The Animoto Platform transforms pictures, music, video clips, and text into professional caliber videos. Through the platform, now you can easily offer Animoto's award-winning service to your users through a variety of integration options. Go to Animoto.com (www.animoto.com)

- Sign up for an account
- Email, Full name, and Password
- Choose a template in the "Browse by category"

#### Section


You add the images, text, and music

#### Adding images in Animoto


#### You can use your own images

Create images using PowerPoint

### Images and Text Created with PPT



### Embed the code



#### Add it to the Announcements

uncements																					
nnouncement	2																				
intouncement																					
																			Add Annour	ncement	С
	🕑 A • 👌	BIL																			
oject: *	Welcome to	T117!																			
bject id="vp1ył 360p&volume=: ="vp1yK5p2" sro	K5p2" width="432 100&start_res=36 c="https://d150hy t" type="applicatio	' height="243" g 0p&i=m&asset_ w 1dtprld.cloudfi	issid="dsi omain=s3 ont.net/sw	:d27cdb6e-ae o.animoto.com /w.swf?w=sw	5d-11cf-96b &animoto_d f/productior	18-444553540 Iomain=animo 1/vp1&e=141	000"> <para to.com&amp;opti 5750649&amp;f=</para 	am name="movie" ions=autostart"> =Y81Qrmt1oh0Ppl	'value="http <p ljaUfvZw&amp;d=</p 	aram name="a 0&m=a&r=360	orld.cloudfron wEullScreen"	.net/swf/w value="tru	i.swf?w e"> <th>=swf/pro aram&gt;<p< th=""><th>duction/vp aram name</th><th>)1&amp;e=14: e="allows</th><th>criptaccess</th><th>=Y81Qrm 'value='</th><th>always"&gt;<th>aram&gt;<em< th=""><th></th></em<></th></th></p<></th>	=swf/pro aram> <p< th=""><th>duction/vp aram name</th><th>)1&amp;e=14: e="allows</th><th>criptaccess</th><th>=Y81Qrm 'value='</th><th>always"&gt;<th>aram&gt;<em< th=""><th></th></em<></th></th></p<>	duction/vp aram name	)1&e=14: e="allows	criptaccess	=Y81Qrm 'value='	always"> <th>aram&gt;<em< th=""><th></th></em<></th>	aram> <em< th=""><th></th></em<>	
bject id="vp1yh 360p&volume = "vp1yK5p2" srot tions=autostart	K5p2" width="432 1008start_res=36 c="https://d150hy t" type="applicatic	<sup>1</sup> height="243" ç Op&i=m&asset_ w1dtprld.cloudfi n/X-sbockwave:	issid="dsi omain=s3 ont.net/sw	:d27cdb6e-ae o.animoto.com /w.swf?w=sw	5d-11cf-96b &animoto_d f/productior	18-444553540 Iomain=animo 1/vp1&e=141	000"> <para to.com&amp;opti 5750649&amp;f=</para 	am name="movie" ions=autostart"> =Y81Qrmt1oh0Ppl	'value="http <p ljaUfvZw&amp;d=</p 	s://d150hyw1d aram name="a 0&m=a&r=360	orld.cloudfron wEullScreen"	.net/swf/w value="tru	i.swf?w e"> <th>=swf/pro a(an)&gt;<p iv=m&amp;ass</p </th> <th>duction/vp acam name et_domain</th> <th>)1&amp;e=14: e="allows =s3-p.an</th> <th>15750649&amp;f criptaccess</th> <th>=Y81Qrm 'value='</th> <th>always"&gt;<th>aram&gt;<em< th=""><th></th></em<></th></th>	=swf/pro a(an)> <p iv=m&amp;ass</p 	duction/vp acam name et_domain	)1&e=14: e="allows =s3-p.an	15750649&f criptaccess	=Y81Qrm 'value='	always"> <th>aram&gt;<em< th=""><th></th></em<></th>	aram> <em< th=""><th></th></em<>	
bject id="vp1yh 360p&volume = "vp1yK5p2" srot tions=autostart	K5p2" width="432 1008start_res=36 c="https://d150hy t" type="applicatic	' height="243" g 0p&i=m&asset_ w 1dtprld.cloudfi	issid="dsi omain=s3 ont.net/sw	:d27cdb6e-ae o.animoto.com /w.swf?w=sw	5d-11cf-96b &animoto_d f/productior	18-444553540 Iomain=animo 1/vp1&e=141	000"> <para to.com&amp;opti 5750649&amp;f=</para 	am name="movie" ions=autostart"> =Y81Qrmt1oh0Ppl	'value="http <p ljaUfvZw&amp;d=</p 	s://d150hyw1d aram name="a 0&m=a&r=360	orld.cloudfron wEullScreen"	.net/swf/w value="tru	i.swf?w e"> <td>=swf/pro a(an)&gt;<p iv=m&amp;ass</p </td> <td>duction/vp aram name</td> <td>)1&amp;e=14: e="allows =s3-p.an</td> <td>15750649&amp;f criptaccess</td> <td>=Y81Qrm 'value='</td> <td>always"&gt;<td>aram&gt;<em< td=""><td></td></em<></td></td>	=swf/pro a(an)> <p iv=m&amp;ass</p 	duction/vp aram name	)1&e=14: e="allows =s3-p.an	15750649&f criptaccess	=Y81Qrm 'value='	always"> <td>aram&gt;<em< td=""><td></td></em<></td>	aram> <em< td=""><td></td></em<>	
bject id="vp1yi 360p&volume = ="vp1yK5p2" sro tions=autostart	K5p2" width="432 1008stat_res=38 c="https://d150hy t* type="applicatio	<sup>1</sup> height="243" ç Op&i=m&asset_ w1dtprld.cloudfi n/X-sbockwave:	issid="dsi omain=s3 nt.net/sw ash" allow	:d27cdb6e-ae o.animoto.com /w.swf?w=sw	5d-11cf-96b &animoto_d f/productior	18-444553540 Iomain=animo 1/vp1&e=141	000"> <para to.com&amp;opti 5750649&amp;f=</para 	am name="movie" ions=autostart"> =Y81Qrmt1oh0Ppl	'value="http <p ljaUfvZw&amp;d=</p 	s://d150hyw1d aram name="a 0&m=a&r=360	orld.cloudfron wEullScreen"	.net/swf/w value="tru	i.swf?w e"> <td>=swf/pro a(an)&gt;<p iv=m&amp;ass</p </td> <td>duction/vp acam name et_domain</td> <td>)1&amp;e=14: e="allows =s3-p.an</td> <td>15750649&amp;f criptaccess</td> <td>=Y81Qrm 'value='</td> <td>always"&gt;<td>aram&gt;<em< td=""><td></td></em<></td></td>	=swf/pro a(an)> <p iv=m&amp;ass</p 	duction/vp acam name et_domain	)1&e=14: e="allows =s3-p.an	15750649&f criptaccess	=Y81Qrm 'value='	always"> <td>aram&gt;<em< td=""><td></td></em<></td>	aram> <em< td=""><td></td></em<>	
bject id="vp1yt 360p&volume = ="vp1ytSp2" src tions=autostart	K5p2° width="432 1008stat_res=36 c="https://d150hy t* type="application > HTML & Start: 1	"height="243" g Op&i=m&asset_ widtprid.cloudfi n/x-sbockwaxe; Preview	ssid="dsi omain=s3 ont.net/sw ash" allow	:d27cdb6e-ae a.animoto.com /w.swf?w=sw criptaccess="	5d-11cf-96b &animoto_d f/productior	18-444553540 Iomain=animo 1/vp1&e=141	000"> <para to.com&amp;opti 5750649&amp;f=</para 	am name="movie" ions=autostart"> =Y81Qrmt1oh0Ppl	'value="http <p ljaUfvZw&amp;d=</p 	s://d150hyw1d aram name="a 0&m=a&r=360	orld.cloudfron wEullScreen"	.net/swf/w value="tru	i.swf?w e"> <td>=swf/pro a(an)&gt;<p iv=m&amp;ass</p </td> <td>duction/vp acam name et_domain</td> <td>)1&amp;e=14: e="allows =s3-p.an</td> <td>15750649&amp;f criptaccess</td> <td>=Y81Qrm 'value='</td> <td>always"&gt;<td>aram&gt;<em< td=""><td></td></em<></td></td>	=swf/pro a(an)> <p iv=m&amp;ass</p 	duction/vp acam name et_domain	)1&e=14: e="allows =s3-p.an	15750649&f criptaccess	=Y81Qrm 'value='	always"> <td>aram&gt;<em< td=""><td></td></em<></td>	aram> <em< td=""><td></td></em<>	

### Showcase completed Assignments

#### **Amazing Websites**



Carol Edwards-W
TAGS
+1
ABOUT
Student produced websites
SHARE
🖬 f 🎔 🔗
Email Share Tweet Link
YouTube Embed More
OPTIONS
🖍 Edit Video
Dupgrade to HD
Download

### Using Animoto

Students can introduce themselves to their classmates



Give their farewell's in the final discussion



Create a team project



Showcase their assignments

#### Carol Edwards, MEd



Professor Business and IT School <u>cedwardswalcott@kaplan.edu</u> <u>carolteo7@gmail.com</u> <u>www.linkedin.com/in/profced</u>



#### References


Animoto. Retrieved from https://www.animoto.com

- Alzahrani, I. (2012). Evaluate wiki technology as e-learning tool from the point view of Al-Baha University students: A pilot study with undergraduate students in both faculties of Science and Education. ElSIN 7<sup>th</sup> Education, Learning, Styles, Individual differences Network. Cadiff, The UK
- Armstrong, D. A. (2011). Students perceptions of online learning and instructional tools: A qualitative study of undergraduate students use of online tools. *Turkish Online Journal Of Educational Technology*, 10(3), 222-226.
- Andriole, S. J. (2010). Business impact of Web 2.0 technologies. *Communications of the ACM*, 53(12), 67-79. doi:10.1145/1859204.1859225
- Berg, S. (2010). Web 2.0 technologies in higher education teaching: A practical introduction. *Kentucky Journal Of Excellence In College Teaching & Learning*, 820-27.
- Blackley, Susan, and Rachel Sheffield. 2015. "Digital andragogy: A richer blend of initial teacher education in the 21st century." *Issues In Educational Research* 25, no. 4: 397-414. *Education Research Complete*, EBSCOhost (accessed April 5, 2016).
- Chong Ho, Y., Brewer, L., Angel-Jannasch-Pennell, & DiGangi, S. (2010). Adopting Web 2.0 for instruction: The effects of faculty rank and employment status. *Journal Of Technology Integration In The Classroom*, 2(2), 131-143.
- Creating Free Online Slideshows with Animoto in the classroom. Retrieved from: http://www.brighthubeducation.com/teaching-methods-tips/57062-animoto-com-in-the-classroom/
- Stocker, D. K., Griffin, P. M., Kocher, C. J. (2011). Evaluating the knowledge and use of Web 2.0 technology among Criminal Justice students at two-year and graduate level institutions of higher learning. Sociological Viewpoints, 27, 76-93
- Tyagi, S. (2012). Adoption of Web 2.0 technology in higher education: A case study of universities in National Capital Region, India. International Journal of Education & Development Using Information & Communication Technology, 8(2), 28-43. Retrieved from http://ijedict.dec.uwi.edu/

Wang, V. X., & Kania-Gosche, B. (2011). Assessing adult learners using web 2.0 technologies. *International Journal of Technology In Teaching & Learning*, 7(1), 61-78. Retrieved from http://www.sicet.org/journals/ijttl/ijttl.html

### #tcc21st










## Chat with us!




Private messages can be viewed by Moderators, just so you know.

Type your message here and press Enter to send.





# Polls, smiles and handraising







## You have a voice!



